

Krisztina Baráth

Baráth K, Martin JB, Fasel HJ, Tokunaga K, Szikora I, Martos J, Nyáry I, Rüfenacht D.
Percutaneous vertebroplasty: methods, indications, results.

Orvosi Hetilap 44, 2469-2477, 2002

Tokunaga K, Baráth K, Martin JB, Rüfenacht D:

Transarterial approach for selective intravenous coil embolization of a benign dural arteriovenous fistula. Case report.

J Neurosurg. 2003 Oct;99(4):775-8.

Baráth K, Cassot F, Rüfenacht DA, Fasel JHD:

Anatomically shaped internal carotid artery aneurysm in vitro model for flow analysis to evaluate stent effect.

AJNR Am J Neuroradiol. 2004 Nov-Dec;25(10):1750-9.

Baráth K, Cassot F, Makoto O, Hirabayashi M, Fasel JHD Rüfenacht DA:

Influence of stent properties on the alteration of cerebral intra-aneurysmal haemodynamics: flow quantification in elastic sidewall aneurysm models.

Neurol Res. 2005;27 Suppl 1:S120-8.

Szikora I, Berentei Z, Kulcsar Z, Baráth K, Berez A, Bose A, Nyary I.

Endovascular treatment of intracranial aneurysms with parent vessel reconstruction using balloon and self expandable stents.

Acta Neurochir (Wien). 2006 Jul;148(7):711-23; discussion 723. Epub 2006 May 17.

Ohta M, Fujimura N, Augsburg L, Barath K, Yilmaz H, Abdo G, Lovblad KO, Rüfenacht DA.

Subtracted vortex centers path line method with cinematic angiography for measurement of flow speed in cerebral aneurysms.

Neurol Res. 2008 Apr;30(3):251-5. Epub 2007 Sep 4.

Platz J, Baráth K, Keller E, Valavanis A.

Disruption of the blood-brain barrier by intra-arterial administration of papaverine: a technical note.

Neuroradiology. 2008 Dec;50(12):1035-9 Epub 2008 Sep 13.

Kaffenberger T, Valko PO, von Meyenburg J, Baráth K, Hewer E, Heppner FL, Jagella CE, Horst A, Siccoli MM.

A case of late onset leukoencephalopathy with cerebral calcifications and cysts in a 59-year-old woman.

Eur J Neurol. 2009 Feb;16(2):278-81.

Baráth K., Mittelbronn M., Valbuena Parra P., Kollias S. Chapter 122:

Spinal cysts in Book:

Naidich T. Imaging of the Brain and Spine. ELSEVIER

Kollias S., Capper D., Saupe N., Baráth K. Chapter 123:

Spinal tumors in Book:

Naidich T. Imaging of the Brain and Spine. ELSEVIER

Baráth K., Huber A.M., Stäpfl P., Varga Z., Kollias S.

Neuroradiology of Cholesteatomas

AJNR Am J Neuroradiol., 2011 Feb.

Oehler C, Frei K, Rushing EJ, McSheehy PM, Weber D, Allegrini PR, Weniger D, Lütolf UM, Knuth A, Yonekawa Y, Barath K, Broggin-Tenzer A, Pruschy M, Hofer S. Patupilone (epothilone B) for recurrent glioblastoma: clinical outcome and translational analysis of a single-institution phase I/II trial.

Oncology. 2012;83(1):1-9. Epub 2012 Jun 8.

Mamisch N, Brumann M, Hodler J, Held U, Brunner F, Steurer J; Lumbar Spinal Stenosis Outcome Study Working Group Zurich.

Radiologic criteria for the diagnosis of spinal stenosis: results of a Delphi survey.

Radiology. 2012 Jul;264(1):174-9. Epub 2012 May 1.

Pézier T, Baráth K, Hegemann S.

Partial Recovery of Audiological, Vestibular, and Radiological Findings following Spontaneous Intralabyrinthine Haemorrhage.

Case Rep Otolaryngol. 2013; Epub 2013 Dec 24.

Baráth K, Schuknecht B, Naldi AM, Schrepfer T, Bockisch CJ, Hegemann SC.

Detection and grading of endolymphatic hydrops in Menière disease using MR imaging.

AJNR Am J Neuroradiol. 2014 Jul;35(7):1387-92. Epub 2014 Feb 13.

Wolpert F, Baráth K, Brakowski J, Renzel R, Linnebank M, Gantenbein AR.

Funicular myelosis in a butcher: it was the cream cans.

Case Rep Neurol Med. 2015; Epub 2015 Jan 28.

Poryazova R, Huber R, Khatami R, Werth E, Brugger P, Barath K, Baumann CR, Bassetti CL.

Topographic sleep EEG changes in the acute and chronic stage of hemispheric stroke.

J Sleep Res. 2015 Feb;24(1):54-65. Epub 2014 Aug 27.

Christine Ehrmann

Relationship of specific MRI findings to treatment outcomes in patients receiving transforaminal epidural steroid injections.

Lechmann M, Roskopf A, Ehrmann C, Sutter R, Pfirrmann CW, Peterson CK.

Skeletal Radiol. 2016 Dec;45(12):1677-1685.

Quantitative Shear-Wave US Elastography of the Supraspinatus Muscle: Reliability of the Method and Relation to Tendon Integrity and Muscle Quality.

Roskopf AB, Ehrmann C, Buck FM, Gerber C, Flück M, Pfirrmann CW.

Radiology. 2015 Nov 5:150908.

Beyond the alpha angle: Alternative measurements for quantifying cam-type deformities in femoroacetabular impingement.

Ehrmann C, Roskopf AB, Pfirrmann CW, Sutter R.

J Magn Reson Imaging. 2015 Oct;42(4):1024-31.

Calcaneal Attachment of the Plantar Fascia: MR Findings in Asymptomatic Volunteers.

Ehrmann C, Maier M, Mengiardi B, Pfirrmann CW, Sutter R.

Radiology. 2014 Sep;272(3):807-14.

Comparison of the critical shoulder angle in radiographs and computed tomography.

Bouaicha S, Ehrmann C, Slankamenac K, Regan WD, Moor BK.

Skeletal Radiol. 2014 Aug;43(8):1053-6.

MRI trotz Prothese? - Metallartefaktreduktion in der MR-Bildgebung.

Ehrmann C, Sutter R, Pfirrmann CW

Schweiz Med Forum 2013;13(42):855–857

Radiographic analysis of metatarsus primus elevatus and hallux rigidus.

Bouaicha S, Ehrmann C, Moor BK, Maquieira GJ, Espinosa N.

Foot Ankle Int. 2010 Sep;31(9):807-14.

Ralph Berther

Comparison of neutral oral contrast versus positive oral contrast medium in abdominal multidetector CT.

Ralph Berther, Michael A. Patak, Boris Eckhardt, Sukru M. Erturk, Christoph L. Zollikofer
Eur Radiol (2008) 18: 1902–1909

Maren Michael

Mammography, sonography and MRI for detection and characterization of invasive lobular carcinoma of the breast.

Michael M, Garzoli E, Reiner CS.

Breast Dis. 2008-2009;30:21-30. doi: 10.3233/BD-2009-0279. Review

Segmental arterial mediolysis: CTA findings at presentation and follow-up.

Michael M, Widmer U, Wildermuth S, Barghorn A, DUEWELL S, Pfammatter T.

AJR Am J Roentgenol. 2006 Dec;187(6):1463-9.

Diagnostische Abklärung der schmerzlosen Mikrohämaturie: Prospektive Studie zum Vergleich von Bildqualität, Beurteilbarkeit und diagnostischer Sicherheit von MDCT und IVU in einem Untersuchungsgang [Diagnostic assessment of painless microhematuria: prospective study comparing image quality, assessability and diagnostic certainty of multidetector-row CT and intravenous pyelography within a single examination].

Michael M, John H, Wildermuth S, Ruedi C, Marincek B, Boehm T.

Rofo. 2005 Oct;177(10):1436-46. German. Erratum in: Rofo. 2005 Nov;177(11):1589.

Norbert Stauder

MRI:

Hochmalignes B-Zell-Lymphom der Milz.

Stauder NI, Laniado M, Claussen CD.

Fortschr. Röntgenstr. 1998, 169(4):M59

MR Angiography and Flow Quantification of Internal Mammary Artery Bypass Grafts after Minimal Invasive Coronary Bypass.

Miller S, Scheule AM, Hahn U, Jurmann M, Helber U, Duda SH, Stauder NI, Claussen CD.

AJR Amer J Roentgen 1999, 172:1365-1369.

Numerische Messparameteroptimierung für EKG-getriggerte MR snapshot-FLASH Myokardperfu-sionsuntersuchungen.

Nägele T, Miller S, Klose U, Brechtel K, Hahn U, Schick F, Stauder NI, Nüsslin F.

Fortschr. Röntgenstr. 1999, 170(1):89-93.

Fat- and water-selective MR cine imaging in human heart – Assessment of right ventricular dysplasia.

Schick F, Miller S, Hahn U, Nägele T, Helber U, Stauder NI, Brechtel K, Claussen CD.

Investigative Radiology 2000, 35(5):311-318.

MRI diagnosis of an additional large trabecular Ventricular Septal Defect (VSD) in an adult after multiple catheterisations.

Stauder NI, Miller S, Scheule AM, Heinemann MK, Ziemer G, Claussen CD.

Br J Radiol 2001; 74:280-282.

Subacute myocardial infarction: assessment by STIR T2-weighted MR imaging in comparison to regional function.

Miller S, Helber U, Kramer U, Hahn U, Carr J, Stauder NI, Hoffmeister HM, Claussen CD.

Magnetic Resonance Materials in Physics, Biology and Medicine 2001; 13:8-14.

2D-Phasenkontrast-Flussquantifizierung und kontrastangehobene 3D-MR-Angiographie zur perioperativen Untersuchung des Arteria Mammaria Interna Bypasses.

Stauder NI, Miller S, Scheule AM, Brechtel K, Eckstein FS, Hahn U, Kramer U, Duda SH, Claussen CD.

Fortschr. Röntgenstr. 2001; 173:790-797.

Scimitar syndrome: morphological diagnosis and assessment of hemodynamic significance by magnetic resonance imaging.

Kramer U, Dörnberger V, Fenchel M, Stauder NI, Claussen CD, Miller S.

Eur Radiol. 2003; 13 Suppl 4:L147-50. Review

Multislice TrueFisp-MR-Bildgebung zur Erkennung stressinduzierter myokardialer Funktionsstörungen bei koronarer Herzerkrankung.

Kramer U, Fenchel M, Helber U, Kraft A, Stauder NI, Franow A, Claussen CD, Miller S.

Fortschr. Röntgenstr. 2003; 175:1355-1362.

TrueFisp MR imaging to determine the influence of hemodialysis on the myocardial functional parameters in patients with terminal renal insufficiency.

Kramer U, Wolf S, Fenchel M, Kraft A, Tomaschko K, Stauder NI, Risler T, Claussen CD, Miller S.

Fortschr. Röntgenstr. 2004; 176(3):350-356.

Semiquantitative assessment of myocardial perfusion using magnetic resonance imaging: evaluation of appropriate thresholds and segmentation models.

Fenchel M, Kramer U, Helber U, Stauder NI, Franow A, Claussen CD, Miller S.

Investigative Radiology 2004; 39(9):572-581.

Multislice first-pass myocardial perfusion imaging: Comparison of saturation recovery (SR)-TrueFISP-two-dimensional (2D) and SR-TurboFLASH-2D pulse sequences.

Fenchel M, Helber U, Simonetti OP, Stauder NI, Kramer U, Nguyen CN, Finn JP, Claussen CD, Miller S.

J Magn Reson Imaging. 2004; 19(5):555-63.

Bestimmung linksventrikulärer Funktionsparameter: Vergleich von 16-Zeilen-Mehrschicht-CT mit der MR-Tomographie.

Heuschmid M, Rothfuss J, Schröder S, Küttner A, Fenchel M, Stauder NI, Mahnken AH, Burgstahler C, Miller S, Claussen CD, Kopp AF.

Fortschr. Röntgenstr. 2005; 177:60-66.

Assessment of minimally invasive direct coronary artery bypass grafting of the left internal thoracic artery by means of magnetic resonance imaging.

Stauder NI, Fenchel M, Stauder H, Küttner A, Scheule AM, Kramer U, Claussen CD, Miller S.

J Thorac Cardiovasc Surg. 2005; 129(3):607-14.

Perioperative monitoring of flow and patency in native and grafted internal mammary arteries using a combined MR protocol.

Stauder NI, Scheule AM, Hahn U, Fenchel M, Eckstein FS, Kramer U, Claussen CD, Miller S.

Br J Radiol. 2005; 78(928):292-8.

Images in cardiovascular medicine. Follow-up of cardiac sarcoidosis by magnetic resonance imaging.

Stauder NI, Bader B, Fenchel M, Kramer U, Köhlkamp V, Miller S.

Circulation. 2005 22; 111(11):e158-60.

Whole-body MR angiography using a novel 32-receiving-channel MR system with surface coil technology: first clinical experience.

Fenchel M, Requardt M, Tomaschko K, Kramer U, Stauder NI, Naegele T, Schlemmer HP, Claussen CD, Miller S.

J Magn Reson Imaging. 2005; 21(5):596-603.

MR Angiographie und Flussreservenbestimmung nach Minimal Invasiver Direkter Koronararterien Bypass (MIDCAB) Operation der linken Arteria Mammaria Interna im Vergleich zur Mehrzeilen-CT.

Stauder NI, Stauder H, Fenchel M, Küttner A, Kramer U, Scheule AM, Claussen CD, Miller S.
Fortschr. Röntgenstr. 2005; 177(8):1094-102.

Detection of regional myocardial perfusion deficit using rest and stress perfusion MRI: a feasibility study.

Fenchel M, Helber U, Kramer U, Stauder NI, Franow A, Claussen CD, Miller S.
AJR Am J Roentgenol. 2005; 185(3):627-35.

Myocardial perfusion after angioplasty in patients suspected of having single-vessel coronary artery disease: improvement detected at rest-stress first-pass perfusion MR imaging—initial experience.

Fenchel M, Franow A, Stauder NI, Kramer U, Helber U, Claussen CD, Miller S.
Radiology. 2005; 237(1):67-74.

Assessment of left ventricular myocardial function using 16-slice multidetector-row computed tomography: comparison with magnetic resonance imaging and echocardiography.

Heuschmid M, Rothfuss JK, Schroeder S, Fenchel M, Stauder NI, Burgstahler C, Franow A, Kuzo RS, Kuettner A, Miller S, Claussen CD, Kopp AF.
Eur Radiol. 2006; 16(3):551-9.

Atherosclerotic disease: whole-body cardiovascular imaging with MR system with 32 receiver channels and total-body surface coil technology—initial clinical results.

Fenchel M, Scheule AM, Stauder NI, Kramer U, Tomaschko K, Nägele T, Bretschneider C, Schlemmer HP, Claussen CD, Miller S.
Radiology. 2006; 238(1):280-91

Perfusion MR imaging with FAIR true FISP spin labeling in patients with and without renal artery stenosis: initial experience.

Fenchel M, Martirosian P, Langanke J, Giersch J, Miller S, Stauder NI, Kramer U, Claussen CD, Schick F.

Radiology. 2006;238(3):1013-21.

Coronary artery bypass grafts: assessment of graft patency and native coronary artery lesions using 16-slice MDCT.

Stauder NI, Küttner A, Schröder S, Drosch T, Beck T, Stauder H, Blumenstock G, Claussen CD, Kopp AF.

Eur Radiol. 2006; 16(11):2512-20.

[Cardiovascular whole-body MR imaging in patients with symptomatic peripheral arterial occlusive disease].

Fenchel M, Jost D, Kramer U, Stauder NI, Bretschneider C, Klumpp B, Scheule AM, Nägele T, Claussen CD, Miller S.

Fortschr. Röntgenstr. 2006; 178(5):491-9.

1 M Gd-chelate (gadobutrol) for multislice first-pass magnetic resonance myocardial perfusion imaging.

Fenchel M, Franow A, Martirosian P, Engels M, Kramer U, Stauder NI, Helber U, Vogler H, Claussen CD, Miller S. Br J Radiol. 2007; 80(959):884-92.

Assessment of coronary artery bypass grafts by magnetic resonance imaging.

Stauder NI, Klumpp B, Stauder H, Blumenstock G, Fenchel M, Küttner A, Claussen CD, Miller S.

Br J Radiol. 2007; 80(960):975-83.

Die Achillesferse

Kaiser P, Taverna C, Stauder N, Krause M.

Schweiz Med Forum 2008; 08(39):741.

Simple Tumorthherapie

Frischknecht F, Ahler A, Stauder N, Brühwiler H.

Schweiz Med Forum 2009;09(07):153.

Magnetic resonance myocardial perfusion imaging-First experience at 3.0T.

Klumpp B, Hoevelborn T, Fenchel M, Stauder NI, Kramer U, May A, Gawaz MP, Claussen CD, Miller S.

Eur J Radiol. 2009; 69(1):165-72.

MRI assessment of cardiac amyloidosis: experience of six cases with review of the current literature.

Seeger A, Klumpp B, Kramer U, Stauder NI, Fenchel M, Claussen CD, Miller S.

Br J Radiol. 2009; 82(976):337-42.

ER:

N.I.Stauder, M.Laniado, C.D.Claussen. Hochmalignes B-Zell-Lymphom der Milz. Fortschr. Röntgenstr. 1998, 169 (4): M59

S.Miller, A.M.Scheule, U Hahn, M.Jurmann, U.Helber, S.H.Duda, N.I.Stauder, Claussen CD. MR Angiography and Flow Quantification of Internal Mammary Artery Bypass Grafts after Minimal Invasive Coronary Artery Bypass. Amer J Roentgen 1999, 172: 1365-1369.

T.Nägele, S.Miller, U.Klose, K.Brechtel, U.Hahn, F.Schick, N.I.Stauder, F.Nüsslin. Numerische Meßparameteroptimierung für EKG-getriggerte MR snapshot-FLASH Myokardperfusionsuntersuchungen. Fortschr. Röntgenstr. 1999, 170 (1):89-93.

F.Schick, S.Miller, U.Hahn, T.Nägele, U.Helber, N.I.Stauder, K.Brechtel, C.D.Claussen. Fat- and water-selective MR cine imaging of the human heart – Assessment of right ventricular dysplasia. Investigative Radiology 2000, 35(5):311-318.

N.I.Stauder, S.Miller, A.M.Scheule, M.K.Heinemann, G.Ziemer, C.D.Claussen.

MRI diagnosis of an additional large trabecular Ventricular Septal Defect (VSD) in an adult after multiple catheterisations. Br J Radiol 2001; 74:280-282.

S.Miller, U.Helber, U.Kramer, U.Hahn, J.Carr, N.I.Stauder, H.M.Hoffmeister, C.D.Claussen. Subacute myocardial infarction: assessment by STIR T2-weighted MR imaging in comparison to regional function. Magnetic Resonance Materials in Physics, Biology and Medicine 2001; 13:8-14.

N.I.Stauder, S.Miller, A.M.Scheule, K.Brechtel, F.S.Eckstein, U.Hahn, U.Kramer, S.H.Duda, C.D.Claussen. 2D-Phasenkontrast-Flußquantifizierung und kontrastangehobene 3D-MR-Angiographie zur perioperativen Untersuchung des Arteria mammaria interna Bypasses. Fortschr. Röntgenstr. 2001; 173:790-797.

U. Kramer, V. Dörnberger, M. Fenchel, N.I. Stauder, C. D. Claussen, S.Miller. Scimitar syndrome: morphological diagnosis and assessment of hemodynamic significance by magnetic resonance imaging. Eur Radiol. Published online 3.10.2003

U.Kramer, M.Fenchel, U.Helber, A.Kraft, N.I.Stauder, A.Franow, C.D.Claussen, S.Miller. Multislice TrueFisp-MR-Bildgebung zur Erkennung stressinduzierter myokardialer Funktionsstörungen bei koronarer Herzerkrankung. Fortschr. Röntgenstr. 2003; 175:1355-1362.

U.Kramer, S.Wolf, M. Fenchel, A.Kraft, K.Tomaschko, N.I.Stauder, T.Risler, C.D.Claussen, S.Miller. TrueFISP MR imaging to determine the influence of hemodialysis on the myocardial functional parameters in patients with terminal renal insufficiency. Fortschr. Röntgenstr. 2004 Mar; 176(3):350-356.

M.Fenchel, U.Kramer, U.Helber, N.I.Stauder, A.Franow, C.D.Claussen, S.Miller.

Semiquantitative Assessment of Myocardial Perfusion Using Magnetic Resonance Imaging: Evaluation of Appropriate Threshold and Segmentation Models. Investigative Radiology 2004; 39(9):572-581.

M.Fenchel, U.Helber, O.P.Simonetti, N.I.Stauder, U.Kramer, C.N.Nguyen, J.P.Finn, C.D.Claussen, S.Miller. Multislice First-Pass Myocardial Perfusion Imaging: Comparison of Saturation Recovery (SR)-TrueFISP-Two-Dimensional (2D) and TurboFLASH 2D Sequence. Journal of Magnetic Resonance Imaging 2004; 19:555-563.

M.Heuschmid, J.Rothfuss, S.Schröder, A.Küttner, M.Fenchel, N.I.Stauder, A.H.Mahnken, C.Burgstahler, S.Miller, C.D.Claussen, A.F.Kopp. Bestimmung linksventrikulärer Funktionsparameter: Vergleich von 16-Zeilen-Mehrschicht-CT mit der MR-Tomographie. Fortschr. Röntgenstr.2005; 177:60-66.

N.I.Stauder, M.Fenchel, H.Stauder, A.Küttner, A.M.Scheule, U.Kramer, C.D.Claussen, S.Miller. Assessment of Minimal Invasive Direct Coronary Artery Bypass Graft (MIDCAB) of the Left Internal Mammary Artery by Magnetic Resonance Imaging. The Journal of Thoracic and Cardiovascular Surgery 2005; 129(3):608-615.

N.I.Stauder, A.M.Scheule, U.Hahn, M.Fenchel, F.S.Eckstein, U.Kramer, C.D.Claussen, S.Miller. Perioperative Monitoring of flow and patency in native and grafted Internal

Mammary Arteries using a combined MR protocol. *British Journal of Radiology* 2005; 78:292-298.

N.I.Stauder, B.Bader, M.Fenchel, U.Kramer, V.Kühlkamp, S.Miller. Follow Up of cardiac sarcoidosis by Magnetic Resonance Imaging. *Circulation* 2005; 111:e158-160.

Fenchel M, Requardt M, Tomaschko K, Kramer U, Stauder NI, Naegele T, Schlemmer HP, Claussen CD, Miller S. Whole-body MR angiography using a novel 32-receiving-channel MR system with surface coil technology: first clinical experience. *J Magn Reson Imaging*. 2005 May; 21(5):596-603.

N.I.Stauder,H.Stauder,M Fenchel,A.Küttner,U.Kramer,A.M.Scheule,C.D.Claussen,

S. Miller. MR-Angiographie und Flussreservenbestimmung nach Minimal Invasiver Direkter Koronararterien Bypass (MIDCAB) Operation der linken Arteria Mammaria Interna im Vergleich zur Mehrzeilen-CT. *Fortschr. Röntgenstr.*2005; 177(8):1094-102

Michael Fenchel, Uwe Helber, Ulrich Kramer, Norbert I. Stauder, Andreas Franow, Claus D. Claussen, Stephan Miller. Detection of Regional Myocardial Perfusion Deficit Using Rest and Stress Perfusion MRI: A Feasibility Study. *AJR* 2005; 185:627-635

Michael Fenchel, MD, Andreas Franow, MD, Norbert I. Stauder, MD, Ulrich Kramer, MD, Uwe Helber, MD, Claus D. Claussen, MD and Stephan Miller, MD. Myocardial Perfusion after Angioplasty in Patients Suspected of Having Single-Vessel Coronary Artery Disease: Improvement Detected at Rest-Stress First-Pass Perfusion MR Imaging—Initial Experience1 *Radiology* 2005; 237:67-74

Heuschmid M, Rothfuss JK, Schroeder S, Fenchel M, Stauder N, Burgstahler C, Franow A, Kuzo RS, Kuettner A, Miller S, Claussen CD, Kopp AF. Assessment of left ventricular myocardial function using 16-slice multidetector-row computed tomography: comparison with magnetic resonance imaging and echocardiography. *Eur Radiol*. 2005 Oct 8;:1-9

Fenchel M, Scheule AM, Stauder NI, Kramer U, Tomaschko K, Nagele T, Bretschneider C, Schlemmer HP, Claussen CD, Miller S. Atherosclerotic disease: whole-body cardiovascular imaging with MR system with 32 receiver channels and total-body surface coil technology--initial clinical results. *Radiology*. 2006 Jan;238(1):280-91. Epub 2005 Nov 22

Fenchel M, Martirosian P, Langanke J, Giersch J, Miller S, Stauder NI, Kramer U, Claussen CD, Schick F. Perfusion MR Imaging with FAIR True FISP Spin Labeling in Patients with and

without Renal Artery Stenosis: Initial Experience. Radiology 2006; Radiology. 2006 Mar;238(3):1013-21. Epub 2006 Jan 26.

Stauder NI, Kuttner A, Schroder S, Drosch T, Beck T, Stauder H, Blumenstock G, Claussen CD, Kopp AF. Coronary artery bypass grafts: assessment of graft patency and native coronary artery lesions using 16-slice MDCT. Eur Radiol. 2006 Nov;16(11):2512-20. Epub 2006 May 3.

Fenchel M, Jost D, Kramer U, Stauder N, Bretschneider C, Klumpp B, Scheule A, Nagele T, Claussen CD, Miller S. Cardiovascular whole-body MR imaging in patients with symptomatic peripheral arterial occlusive disease. Rofo. 2006 May; 178(5):491-9. German.

Stauder NI., Klumpp B., Stauder H., Blumenstock G., Küttner A., Fenchel M., Claussen CD., Miller S Assessment of Coronary Artery Bypass Grafts by Magnetic Resonance Imaging. Br J Radiol 2007 Dec; 80(960):975-83. Epub 2007 Oct 29.

Kaiser P, Taverna C, Stauder N, Krause M. Die Achillesferse. Schweiz Med Forum 2008; 08(39): 741.

Frischknecht F, Ahler A, Stauder N, Brühwiler H. Simple Tumortherapie. Schweiz Med Forum 2009; 09(07): 153.

Klumpp B, Hoevelborn T, Fenchel M, Stauder NI, Kramer U, May A, Gawaz MP, Claussen CD, Miller S. Magnetic resonance myocardial perfusion imaging – First experience at 3.0T. Eur J Radiol. 2009 Jan;69(1):165-72. Epub 2007 Nov 19.

Seeger A, Klumpp B, Kramer U, Stauder NI, Fenchel M, Claussen CD, Miller S.

MRI assessment of cardiac amyloidosis: experience of six cases with review of the current literature. Br J Radiol. 2009 Apr; 82(976):337-42. doi: 10.1259/bjr/76104551. Epub 2008 Nov 24.